

1. Unique identification code of the product-type: **PRP P50, PLP P50, PVP P50** - commercial version of the PAVA system (Softline 82)
2. Intended use/es: **L-shaped PVC windows intended to be used in domestic and commercial location**
3. Manufacturer: **FAKRO PP Sp. z o.o.  
ul. Węgierska 144a,  
33-300 Nowy Sącz, Poland  
fakro@fakro.pl**
4. Authorised representative: **./.**
5. System/s of AVCP: **3**
6. Harmonised standard: **EN 14351-1:2006+A2:2016**  
 Notified body/ies: **IFT Rosenheim (0757)  
Mobilne Laboratorium Techniki Budowlanej (2189)  
Politechnika Krakowska (2919)**

## 7. Declared performance/s:

Essential characteristics	Performance	Harmonised technical specification
	PRP P50 PLP P50 PVP P50	
7.1 Resistance to wind load	Class C3 (1)	EN 14351-1:2006+A2:2016
7.2 Watertightness. Non-shielded (A)	Class 9A	
7.3 Dangerous substances	npd (2)	
7.4 Load-bearing capacity of safety device	Threshold value (350 N)	
7.5 Acoustic performance	npd	
7.6 Thermal transmittance	0,90 [W/m <sup>2</sup> K] (3)	
7.7 Radiation properties: - Solar factor g	0,36	
- Light transmittance	0,53	
7.8 Air permeability	Class 4	

(1) for the windows with the width of > 150 cm and height of > 166 cm: npd, (2) npd – no performance determined, (3) for the size 1.14 m x 1.37 m – test according to standard EN ISO 12567-1

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:

Ewa Łukaszczyk-Haslik

Nowy Sącz, 30/06/2025

